

## VERIFICATION OF COMPLIANCE

No.: LVD SZES2010006980AT

Applicant: Shell Electronic Limited

2/F., BC Building, 3# of Shayuan 1st Road, Keyuancheng, Tangxia Town, Dongguan, 523710, Guangdong, China

Manufacturer: Same as applicant

Product Name: AC Adapter

Product Description: Power supply unit (direct plug-in type)

Model No.: S-TR-155Dxy, LT-TR-155Dxy (x and y are variables, x= A, B, C,

D; Output terminal, y= E, B, Plug type)

Rating: See page 2

Protection against Electric Shock: Class II

Additional Information: --

Sufficient samples of the product have been tested and found to be in conformity with

Test Standard: EN 62368-1: 2014+A11: 2017

as shown in the

Test Report Number(s): SZES201000698001

This Verification of Compliance has been granted to the applicant based on the results of tests, performed by Laboratory of SGS-CSTC Standards Technical Services Co., Ltd. on sample of the above-mentioned product in accordance with the provisions of the relevant harmonized standards under the Low Voltage Directive 2014/35/EU. The CE marking as shown below can be affixed, under the responsibility of the manufacturer, after completion of an EC Declaration of Conformity and compliance with all relevant EC Directives. The affixing of the CE marking presumes in addition that the conditions in annexes III and IV of the Directive are fulfilled.



Rocky Wang
Laboratory Mana

SGS-CSTC \*\*\*

Copyright of this verification is owned by SGS-CSTC Standards Technical Services Co., Ltd. and may not be reproduced other than in full and with the prior approval of the General Manager. This verification is subjected to the governance of the General Conditions of Services, printed overleaf.

Member of SGS Group (Société Générale de Surveillance)

EEC-F03/ Rev.1.0/2016-07-15

2021-07-16



No.:

## LVD SZES2010006980AT

## Other information added:

Model No.	Variable:	Range of variable:	Output:
LT-TR-155DAy, S- TR-155DAy	у	E, B	TYPE-C(PD): 5,0 V=3,0 A, 15,0 W; 9,0 V=3,0 A, 27,0 W; 12,0 V=3,0 A, 36,0 W; 15,0 V=3,0 A, 45,0W; 20,0 V=3,25 A, 65,0 W; 3,3 V-16,0V=2,5A, 8,25-40,0 W; Total: 65,0W Max.
LT-TR-155DBy, S- TR-155DBy			TYPE-C (PD): 5,0 V=3,0 A, 15,0 W; 9,0 V=3,0 A, 27,0 W; 12,0 V=3,0 A, 36,0 W; 15,0 V=3,0 A, 45,0W; 20,0 V=2,25 A, 45,0 W; 20,0 V=3,25 A, 65,0 W; 3,3 V-16,0V =2,5A, 8,25-40,0 W;
			USB (QC): 5,0 V=3,0 A, 15,0 W; 9,0 V=2,0 A, 18,0 W; Total: 65,0W Max.
LT-TR-155DCy, S- TR-155DCy			TYPE-C (PD): 5,0 V=3,0 A, 15,0 W; 9,0 V=3,0 A, 27,0 W; 12,0 V=3,0 A, 36,0 W; 15,0 V=3,0 A, 45,0 W; 20,0 V=2,25 A, 45,0 W; 3,3 V-16,0 V=2,0A, 6,6-32,0 W; Total: 45,0W Max.
LT-TR-155DDy, S- TR-155DDy			TYPE-C (PD): 5,0 V=3,0 A, 15,0 W; 9,0 V=3,0 A, 27,0 W; 12,0 V=2,5 A, 30,0 W; 15,0 V=2,0 A, 30,0W; 20,0 V=1,5 A, 30,0 W; 3,3 V-16,0 V=2,0 A, 6,6-32,0 W;
(Included two type output)			USB (QC): 5,0 V=3,0 A, 15,0 W; 9,0 V=2,0 A, 18,0 W;
output)			Total: 45,0W Max.  TYPE-C (PD): 5,0 V=3,0 A, 15,0 W; 9,0 V=3,0 A, 27,0 W; 12,0 V=3,0 A, 36,0 W; 15,0 V=3,0 A, 45,0W; 20,0 V=2,25 A, 45,0 W; 3,3 V-16,0 V=2,0 A, 6,6-32,0 W; USB (QC): 5,0 V=3,0 A, 15,0 W; 9,0 V=2,0 A, 18,0 W; Total: 45,0W Max.



2021-07-16

Copyright of this verification is owned by SGS-CSTC Standards Technical Services Co., Ltd. and may not be reproduced other than in full and with the prior approval of the General Manager. This verification is subjected to the governance of the General Conditions of Services, printed overleaf.

Member of SGS Group (Société Générale de Surveillance)